



Quick Ship List - July 2015

All purchase orders must be clearly labeled "Quick Ship" on the purchase order. A Quick Ship order will ship within 10 business days of approved pre-payment or terms, and are limited to \$25,000 or less for the entire purchase order. The Quick Ship program is limited to orders placed and shipping to North America and standard terms and conditions apply to all orders. Acclaim Lighting reserves the right to change the terms and part numbers included in the Quick Ship Program without notice. *Item availability in Canada may vary.

Cove			
Flex II Exterior			
FAMILY	DESCRIPTION	VARIANT	SKU
Flex II Exterior	3W/LF, 12V, 16.4' (5M) Spool, IP68		
		4000K	FLEX2E4
		6000K	FLEX2E6
Flex II Exterior RGB			
FAMILY	DESCRIPTION	VARIANT	SKU
Flex II Exterior RGB	4.4W/LF, 12V, 16.4' (5M) Spool, IP68	RGB	FLEX2ERGB
Flex II Interior			
FAMILY	DESCRIPTION	VARIANT	SKU
Flex II Interior	3W/LF, 12V, 16.4' (5M) Spool, Dry Location		
		2400K	FLEX2I24
		4000K	FLEX2I4
Flex II Interior Connection Accessories			
	Flex II Interior RGB Feed Cable 6"		FL2IRGBFC
	Flex II Interior RGB Link Cable 6"		FL2IRGBLC
Flex III Interior			
FAMILY	DESCRIPTION	VARIANT	SKU
Flex III Interior	4.2W/LF, 24V, 16.4' (5M) Spool, Dry Location		
	CRI > 94	3000K	FLEX3I3
Dyna Cove HO Exterior			
FAMILY	DESCRIPTION	VARIANT	SKU

	Dyna Cove HO Exterior	20W/LF, High Output Exterior Cove, IP66, 120°	1' Unit, 2700K, 120V	DCB-142-AAAU
			4' Unit, 2700K, 120V	DCB-142-DAAU
Dyna Cove HO Interior				
	FAMILY	DESCRIPTION	VARIANT	SKU
	Dyna Cove HO Interior	20W/LF, High Output Interior Cove, 120°	1' Unit, 2700K, 120V	DCA-142-AAAU
			4' Unit, 2700K, 120V	DCA-142-DAAU
			1' Unit, 3000K, 120V	DCA-142-AABU
			4' Unit, 3000K, 120V	DCA-142-DABU
			1' Unit, 3500K, 120V	DCA-142-AADU
			1' Unit, 4000K 120V	DCA-142-AAEU
	Dyna Cove HO Interior Cables			
		Dyna Cove Interior Feed Cable 10'		CA-CAF-00305
		Dyna Cove Interior Link Cable 1'		CA-CAL-00030
Dyna Cove SO Interior				
	FAMILY	DESCRIPTION	VARIANT	SKU
	Dyna Cove SO Interior	12W/LF, Standard Output Interior Cove, 120°	1' Unit, 3500K, 120V	DCD-142-AADU
			1' Unit, 3000K, 120V	DCD-142-AABU
			4' Unit 3000K, 120V	DCD-142-DABU
	Dyna Cove SO Interior Cables			
		Dyna Cove Interior Feed Cable 10'		CA-CAF-00305
		Dyna Cove Interior Link Cable 1'		CA-CAL-00030
		Dyna Cove Interior Link Cable 5'		CA-CAL-00150
Graze				
	Dyna Graze HO Exterior			
	FAMILY	DESCRIPTION	VARIANT	SKU
	Dyna Graze HO Exterior	20W/LF, IP66, Maximum of 35" in Series	1' Unit, 3000K, 30° x 60° 90-135V	DGB-141-AQBU

			1' Unit, 3500K, 30° x 60°, 200-300V	DGB-141-AQDE
			4' Unit, 3500K, 10° x 60° 90-135V	DGB-141-DPDU
			1' Unit, 4000K, 10° x 60° 90-135V	DGB-141-APEU
			4' Unit, 4000K, 60°, 200-300V	DGB-141-DKEE
Dyna Graze SO Interior				
	FAMILY	DESCRIPTION	VARIANT	SKU
	Dyna Graze SO Interior	12W/LF, Dry Location, Maximum of 50' in Series		
			1' Unit, 3000K, 15 x 60° 120V	DGD-141-ARBU
			4' Unit, 3000K, 15° x 60° 120V	DGD-141-DRBU
			1' Unit, 3000K, 15° x 60°, 200-300V	DGD-141-ARBE
			4' Unit, 3000K, 15° x 60°, 200-300V	DGD-141-DRBE
	Dyna Graze SO Interior Cables			
		Dyna Graze SO Interior Feed Cable 10'		CA-CAF-00305
Flood				
Dyna Flood HO				
	FAMILY	DESCRIPTION	VARIANT	SKU
	Dyna Flood HO	50W, IP66 Exterior Flood Light		
			2700K, 7°, 120V, Gray	DFB-141-ABAU
			2700K, 20°, 120V, Gray	DFB-141-AEAU
			2700K, 40°, 120V, Gray	DFB-141-AHAU
			2700K, 60°, 120V, Gray	DFB-141-AKAU
			2700K, 10° x 60°, 120V, Gray	DFB-141-APAU
			3000K, 7°, 120V	DFB-141-ABBU
			3000K, 20°, 120V	DFB-141-AEBU
			3000K, 40°, 120V	DFB-141-AHBU
			3000K, 60°, 120V	DFB-141-AKBU
			3000K, 10° x 60°, 120V	DFB-111-APBU
			4000K, 7°, 120V, Black	DFB-111-ABEU

		4000K, 20°, 120V, Black	DFB-111-AEEU
		4000K, 40°, 120V, Black	DFB-111-AHEU
		4000K, 60°, 120V, Black	DFB-111-AKEU
		4000K, 10° x 60°, 120V, Black	DFB-111-APEU
Dyna Flood SO			
	FAMILY	DESCRIPTION	VARIANT
	Dyna Flood SO	25W, IP66 Exterior Flood Light	
			3000K, 7°, 120V
			DFA-141-ABBU
			3000K, 20°, 120V
			DFA-141-AEBU
			3000K, 40°, 120V
			DFA-141-AHBU
			3000K, 60°, 120V
			DFA-141-AKBU
			3000K, 10° x 60°, 120V
			DFA-141-APDU
Rebel Drum Series			
	FAMILY	DESCRIPTION	VARIANT
	Rebel Drum 18	22.5W, IP68 Submersible Flood Light, 24VDC	
			RGB, 10°
			RDA-161-DCHN
	Rebel Drum 6	7.5W, IP68 Submersible Flood Light, 24VDC	
			RGB, 10°
			RDA-161-BCHN
			2700K, 10°, CV
			RDB-161-BCAN